

SWALF
GOD'S CREATION

B

Breeman International Supplies

Breeman Dredge Pumps

Performance Data

- Curves
 - ◇ Head
 - ◇ Efficiency
 - ◇ Mechanical Power
 - ◇ NPSH
- Design
 - ◇ Impellers
 - ◇ Casings
- Discharge Length



Range



- Double Walled, Single Walled and Submerged.
 - High Efficiency and Conventional.
 - Inlet from Ø300 mm to Ø1400 mm.
 - Low Pressure, Medium Pressure, High Pressure and Cutter Pump.
 - Impellers with 3, 4 or 5 Blades.
 - Bearing Block SD200 to SD560 with Manual or Automatic Turning Device.
- Customer specific requirements on request.*

Spare Parts

- Casings
- Impellers
- Liners
- Seals
- Wear Plates

Appendages

- Ball Joints
- Expansion Pieces
- Flanges
- Floating Lines
- Pipe Bends
- Pipe Pieces
- Reducers
- Rubber Hoses
- Valves
- Y-Pieces



Main Office & Production

Breeman International Supplies
Krommedijk 10
3214 LH Zuidland
PO Box 46, 3214 ZG Zuidland
Tel: +31 181 451166
Fax: +31 181 452858

Internet:

www.breeman.nl
www.breemanchina.com

E-mail:

info@breeman.nl

Chinese Sales Department

Shanghai Representative Office
Room 1812, Silver Centre
No. 1388, Shan Xi Road North
Shanghai, P.R. China, 200060
Tel: +86 21 61498329
Fax: +86 21 61498001



Breeman International Supplies

Breeman Dredge Pumps High Efficiency

Low Pressure	Inlet Diameter
B SHL-30.21-4I	Ø 300 mm
B SHL-40.29-4L	Ø 400 mm
B SHL-50.36-4L	Ø 500 mm
B SHL-60.42-4L	Ø 600 mm
B SHL-70.50-4L	Ø 700 mm
B SHL-80.57-4L	Ø 800 mm
B SHL-90.64-4L	Ø 900 mm
B SHL-100.71-4L	Ø 1000 mm
B SHL-110.78-4L	Ø 1100 mm
B SHL-120.85-4L	Ø 1200 mm
B SHL-130.92-4L	Ø 1300 mm
B SHL-140.99-4L	Ø 1400 mm

Medium Pressure	Inlet Diameter
B SHM-30.19-4I	Ø 300 mm
B SHM-40.25-4L	Ø 400 mm
B SHM-50.31-4L	Ø 500 mm
B SHM-60.37-4L	Ø 600 mm
B SHM-70.43-4L	Ø 700 mm
B SHM-80.50-4L	Ø 800 mm
B SHM-90.55-4L	Ø 900 mm
B SHM-100.62-4L	Ø 1000 mm
B SHM-110.68-4L	Ø 1100 mm
B SHM-120.74-4L	Ø 1200 mm
B SHM-130.80-4L	Ø 1300 mm
B SHM-140.86-4L	Ø 1400 mm

High Pressure	Inlet Diameter
B SHH-30.19-4I	Ø 300 mm
B SHH-40.25-4L	Ø 400 mm
B SHH-50.31-4L	Ø 500 mm
B SHH-60.37-4L	Ø 600 mm
B SHH-70.43-4L	Ø 700 mm
B SHH-80.50-4L	Ø 800 mm
B SHH-90.55-4L	Ø 900 mm
B SHH-100.62-4L	Ø 1000 mm
B SHH-110.68-4L	Ø 1100 mm
B SHH-120.74-4L	Ø 1200 mm
B SHH-130.80-4L	Ø 1300 mm
B SHH-140.86-4L	Ø 1400 mm

Cutter Pump	Inlet Diameter
B SHC-30.19-4I	Ø 300 mm
B SHC-40.25-4L	Ø 400 mm
B SHC-50.31-4L	Ø 500 mm
B SHC-60.37-4L	Ø 600 mm
B SHC-70.43-4L	Ø 700 mm
B SHC-80.49-4L	Ø 800 mm
B SHC-90.55-4L	Ø 900 mm
B SHC-100.61-4L	Ø 1000 mm

Main Office & Production

Breeman International Supplies
Krommedijk 10
3214 LH Zuidland
PO Box 46, 3214 ZG Zuidland
Tel: +31 181 451166
Fax: +31 181 452858

Internet:

www.breeman.nl
www.breemanchina.com

E-mail:

info@breeman.nl

Chinese Sales Department

Shanghai Representative Office
Room 1812, Silver Centre
No. 1388, Shan Xi Road North
Shanghai, P.R. China, 200060
Tel: +86 21 61498329
Fax: +86 21 61498001



Breeman International Supplies

Breeman Dredge Pumps Conventional

Low Pressure	Inlet Diameter	Medium Pressure	Inlet Diameter
B SCL-30.21-4I	Ø 300 mm	B SCM-30.19-4I	Ø 300 mm
B SCL-40.29-4L	Ø 400 mm	B SCM-40.25-4L	Ø 400 mm
B SCL-50.36-4L	Ø 500 mm	B SCM-50.31-4L	Ø 500 mm
B SCL-60.42-4L	Ø 600 mm	B SCM-60.37-4L	Ø 600 mm
B SCL-70.50-4L	Ø 700 mm	B SCM-70.43-4L	Ø 700 mm
B SCL-80.57-4L	Ø 800 mm	B SCM-80.50-4L	Ø 800 mm
B SCL-90.64-4L	Ø 900 mm	B SCM-90.55-4L	Ø 900 mm
B SCL-100.71-4L	Ø 1000 mm	B SCM-100.62-4L	Ø 1000 mm
B SCL-110.78-4L	Ø 1100 mm	B SCM-110.68-4L	Ø 1100 mm
B SCL-120.85-4L	Ø 1200 mm	B SCM-120.74-4L	Ø 1200 mm
B SCL-130.92-4L	Ø 1300 mm	B SCM-130.80-4L	Ø 1300 mm
B SCL-140.99-4L	Ø 1400 mm	B SCM-140.86-4L	Ø 1400 mm

High Pressure	Inlet Diameter
B SCH-30.19-4I	Ø 300 mm
B SCH-40.25-4L	Ø 400 mm
B SCH-50.31-4L	Ø 500 mm
B SCH-60.37-4L	Ø 600 mm
B SCH-70.43-4L	Ø 700 mm
B SCH-80.50-4L	Ø 800 mm
B SCH-90.55-4L	Ø 900 mm
B SCH-100.62-4L	Ø 1000 mm
B SCH-110.68-4L	Ø 1100 mm
B SCH-120.74-4L	Ø 1200 mm
B SCH-130.80-4L	Ø 1300 mm
B SCH-140.86-4L	Ø 1400 mm

Main Office & Production

Breeman International Supplies
Krommedijk 10
3214 LH Zuidland
PO Box 46, 3214 ZG Zuidland
Tel: +31 181 451166
Fax: +31 181 452858

Internet:

www.breeman.nl
www.breemanchina.com

E-mail:

info@breeman.nl

Chinese Sales Department

Shanghai Representative Office
Room 1812, Silver Centre
No. 1388, Shan Xi Road North
Shanghai, P.R. China, 200060
Tel: +86 21 61498329
Fax: +86 21 61498001